

**Amendments to the claims:**

Please amend the claims as follows:

1 – 37. (Cancelled)

38. (Currently Amended) A method for identifying a glucocorticoid receptor (GR) modulator, the method comprising:

(a) providing atomic coordinates of a GR polypeptide complex structure comprising an expanded binding pocket to a computerized modeling system, wherein said atomic coordinates are the atomic coordinates set forth in Table 2;

(b) modeling a ligand that fits spatially into the expanded binding pocket volume of the GR polypeptide structure to produce a modeled ligand; and

(c) ~~identifying in an assay for GR-mediated activity a modeled ligand that increases or decreases the activity of the GR polypeptide~~ synthesizing the modeled ligand designed in step (b); and

(d) performing an assay to determine whether the modeled ligand synthesized in step (c) modulates the activity of a GR polypeptide.

39. (Previously Presented) The method of claim 38, wherein the GR polypeptide is comprised within a GR polypeptide complex which further comprises a co-activator.

40. (Previously Presented) The method of claim 39, wherein the co-activator is a transcription intermediary factor 2 (TIF2) peptide.

41. (Original) The method of claim 40, wherein the TIF2 peptide comprises the sequence of SEQ ID NO: 9.

42. (Previously Presented) The method of claim 38, wherein the GR polypeptide comprises the amino acid sequence set forth in SEQ ID NO: 6.

43. (Original) The method of claim 38, wherein the ligand is a non-steroid compound.

44 – 122. (Cancelled).